		Category		U	ltra HI	PC Serv	vers		Ultra E	Enterpris	e Cluste	rs (HA &	k PDB)
			150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
nterprise 150 Tower System Enclosure	\$13,045	A	✓										
nterprise 150 Rack Ready System Enclosure	\$13,045	A	✓										
nterprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 ower/cooling module, Solaris Server License	\$11,000	A		✓									
nterprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 2, 1 power/cooling module, Solaris Server License	\$42,000	A			✓								
nterprise 5000 Server Base Package.	\$57,000	A				✓							
OTE: Requires Solaris 2.5.1 or later.													
nterprise 6000 Server Base Package.	\$175,000	A					✓						
OTE: Requires Solaris 2.5.1 or later.													
nterprise 10000 Server Base Package.	\$190,000	A						✓					
nterprise 10000 software for Alternative Pathing (AP).	N/C	-						✓					
nterprise 10000 software for the System Service Processor (SSP).	N/C	-						✓					
Iltra HPC 2 Server Model 2200 w/ two 200 MHz UltraSPARC rocessors, 512MB memory, 2x2.1GB 7200 RPM disks, internal SunCD, Sun HPC Softwar5e License for a dual-processor LSF server (15 okens)	\$43,545	A											
<u>OTE:</u> Requires Solaris 2.5 or later													
Iltra HPC 3000 server base package, Sun HPC software license for a 6-rocessor LSF server (30 tokens)	\$13,100	A		✓									
<u>OTE:</u> Requires Solaris 2.5.1 or later. Order HPC3001V5 for Denmark													
Itra HPC 4000 server base package, Sun HPC software license for a 14-rocessor LSF server (70 tokens)	\$46,900	A			✓								
OTE: Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L or Denmark.													
Iltra HPC 5000 server base package, Sun HPC software license for a 14-rocessor LSF server (70 tokens)	\$61,900	A				✓							
OTE: Requires Solaris 2.5.1 or later.													
Iltra HPC 6000 server base package, Sun HPC software license for a 30-rocessor LSF server (150 tokens)	\$185,500	A					✓						
<u>OTE:</u> Requires Solaris 2.5.1 or later.													
Oltra HPC 10000 server base package, Sun HPC software license for a 4-processor LSF server (320 tokens)	\$212,400	A						✓					
ntt	terprise 150 Rack Ready System Enclosure terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 wer/cooling module, Solaris Server License terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package. **TE:* Requires Solaris 2.5.1 or later. terprise 6000 Server Base Package. **TE:* Requires Solaris 2.5.1 or later. terprise 10000 Server Base Package. **TE:* Requires Solaris 2.5.1 or later. terprise 10000 software for Alternative Pathing (AP). terprise 10000 software for the System Service Processor (SSP). THE HPC 2 Server Model 2200 w/ two 200 MHz UltraSPARC terprise 10000 software for a dual-processor LSF server (15 tens) **TE:* Requires Solaris 2.5 or later THE ADOUGH Server Base Package, Sun HPC software license for a 6- terprise Solaris 2.5.1 or later. Order HPC3001V5 for Denmark THE HPC 4000 server base package, Sun HPC software license for a 14- terprise Solaris 2.5.1 or later. Order HPC4001V5 and X389L Denmark. THE Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L Denmark. THE HPC 5000 server base package, Sun HPC software license for a 14- terprise Solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 14- terprise Solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 14- terprise Solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 14- terprise Solaris 2.5.1 or later. THPC 5000 server base package, Sun HPC software license for a 14- terprise Solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 30- terprise solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 30- terprise solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 30- terprise solaris 2.5.1 or later. THE HPC 5000 server base package, Sun HPC software license for a 30- terprise solaris 2.5.1 or later.	terprise 150 Rack Ready System Enclosure terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 ver/cooling module, Solaris Server License terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package. **Exprise 5000 Server Base Package.** **Exprise 6000 Server Base Package.** **Exprise 10000 Server Base Package.** **Interprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC **Interprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC **Interprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC **Interprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC **Interprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC **Interprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC **Interprise 10000 Server 10000 Server Medical Server (15 Server (30 tokens))) **Interprise 10000 Server Base Package, Sun HPC Software license for a 14- **Interprise 10000 Server Base Package, Sun HPC Software license for a 14- **Interprise 10000 Server Base Package, Sun HPC Software license for a 14- **Interprise 10000 Server Base Package, Sun HPC Software license for a 14- **Interprise 10000 Server Base Package, Sun HPC Software license for a 30- **Interprise 10000 Server Base Package, Sun HPC Software license for a 30- **Interprise 10000 Server Base Package, Sun HPC Software license for a 30- **Interprise 10000 Server Base Package, Sun HPC	terprise 150 Rack Ready System Enclosure sterprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 sterprise 3000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License sterprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License sterprise 5000 Server Base Package. \$57,000 A **TE: Requires Solaris 2.5.1 or later. **Server License** **Server Licens	terprise 150 Rack Ready System Enclosure 1513,045 A 1511,000 A terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 wer/cooling module, Solaris Server License terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package. \$57,000 A #################################	terprise 150 Rack Ready System Enclosure stroppise 150 Rack Ready System Enclosure, 1 SunCD 12, 1 terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 stroppise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package. S57,000 A ITE: Requires Solaris 2.5.1 or later. terprise 6000 Server Base Package. \$175,000 A ITE: Requires Solaris 2.5.1 or later. terprise 10000 Server Base Package. \$190,000 A terprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC cessors, 512MB memory, 2x2.1GB 7200 RPM disks, internal SunCD Sun HPC Softwar5e License for a dual-processor LSF server (15 ens) TE: Requires Solaris 2.5 or later ra HPC 3000 server base package, Sun HPC software license for a 6- cessor LSF server (30 tokens) TE: Requires Solaris 2.5.1 or later. Order HPC3001V5 for Denmark ra HPC 4000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) TE: Requires Solaris 2.5.1 or later. ra HPC 5000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) TE: Requires Solaris 2.5.1 or later. ra HPC 6000 server base package, Sun HPC software license for a 30- cessor LSF server (70 tokens) TE: Requires Solaris 2.5.1 or later. ra HPC 6000 server base package, Sun HPC software license for a 30- cessor LSF server (70 tokens) TE: Requires Solaris 2.5.1 or later. ra HPC 10000 server base package, Sun HPC software license for a 30- cessor LSF server (70 tokens)	terprise 150 Rack Ready System Enclosure terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package. \$57,000 A ### Requires Solaris 2.5.1 or later. terprise 6000 Server Base Package. ### Stolaris 2.5.1 or later. ### Stolaris 2.5.1 or later in the System Service Processor (SSP). ### Stolaris 2.5.1 or later in the System Service Processor (SSP). ### Stolaris 2.5.2 or later ### Stolaris 2.5 or later ### Stolaris 2.5 or later ### Stolaris 2.5 or later ### Stolaris 2.5.1 or later. Order HPC3001V5 for Denmark ### Stolaris 2.5.1 or later. Order HPC3001V5 and X389L #### Denmark. #### Stolaris 2.5.1 or later. ##### Stolaris 2.5.1 or later. ##### Stolaris 2.5.1 or later. ###################################	terprise 150 Rack Ready System Enclosure terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 power/cooling module, Solaris Server License terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, S57,000 A 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, S175,000 A 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, S175,000 A 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, S175,000 A 1 power/cooling module, Solaris Server License terprise 10000 Server Base Package, S175,000 A 1 power/cooling module, Solaris 2.5.1 or later. terprise 10000 Server Base Package, S175,000 A 1 power/cooling module, Solaris 2.5.1 or later. Ta HPC 2 Server Model 2200 w/two 200 MHz UltrasPARC terprise 10000 software for the System Service Processor (SSP). N/C - terprise 10000 software for the System Service Processor (SSP). N/C - terprise 10000 software for a dual-processor LSF server (15 ens) MEE: Requires Solaris 2.5.1 or later. Ta HPC 2 Software Solaris 2.5.1 or later. Order HPC3001V5 for Denmark Ta HPC 4000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) MEE: Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L Denmark. Ta HPC 5000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) MEE: Requires Solaris 2.5.1 or later. Ta HPC 5000 server base package, Sun HPC software license for a 30- cessor LSF server (70 tokens) MEE: Requires Solaris 2.5.1 or later. Ta HPC 5000 server base package, Sun HPC software license for a 30- cessor LSF server (150 tokens)	terprise 150 Rack Ready System Enclosure terprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 terprise 3000 Server Base Package, Stand-alone Enclosure, 1 SunCD 12, 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License terprise 5000 Server Base Package, S57,000 A ITE: Requires Solaris 2.5.1 or later. terprise 10000 Server Base Package. \$175,000 A ITE: Requires Solaris 2.5.1 or later. terprise 10000 Server Base Package. \$190,000 A terprise 10000 Server Base Package. \$190,000 A terprise 10000 Server Base Package. \$190,000 A terprise 10000 Server for Alternative Pathing (AP). N/C - terprise 10000 Server Model 2200 w/ two 200 MHz UltraSPARC cessors, 512MB memory, 2x2.1GB 7200 RPM disks, internal SunCD Sun HPC Softwar5e License for a dual-processor LSF server (15 cessor LSF server (30 tokens) ITE: Requires Solaris 2.5.1 or later Ta HPC 3000 server base package, Sun HPC software license for a 6- cessor LSF server (70 tokens) ITE: Requires Solaris 2.5.1 or later. Order HPC3001V5 for Denmark Ta HPC 4000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) ITE: Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L Denmark. Ta HPC 5000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) ITE: Requires Solaris 2.5.1 or later. Ta HPC 5000 server base package, Sun HPC software license for a 14- cessor LSF server (70 tokens) ITE: Requires Solaris 2.5.1 or later. Ta HPC 5000 server base package, Sun HPC software license for a 30- cessor LSF server (70 tokens) ITE: Requires Solaris 2.5.1 or later. Ta HPC 5000 server base package, Sun HPC software license for a 30- cessor LSF server (750 tokens)	terprise 150 Rack Ready System Enclosure	erprise 150 Rack Ready System Enclosure sterprise 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 stripping 3000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 stripping 3000 Server Base Package, Stand-alone Enclosure, 1 SunCD power/cooling module, Solaris Server License terprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD power/cooling module, Solaris Server License terprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD prover/cooling module, Solaris Server License terprise 5000 Server Base Package, \$57,000 A **TE: Requires Solaris 2.5.1 or later. **TE: Requires Solaris 2.5.1 or later.	erprise 150 Rack Ready System Enclosure \$13,045	erprise 150 Rack Ready System Enclosure erprise 2000 Server Base Package, Tower Enclosure, 1 SunCD 12, 1 stripes 2000 Server Base Package, Stand-alone Enclosure, 1 SunCD 12, 1 power/cooling module, Solaris Server License erprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License erprise 4000 Server Base Package, Stand-alone Enclosure, 1 SunCD 1 power/cooling module, Solaris Server License erprise 5000 Server Base Package, Stand-alone Enclosure, 1 SunCD 2 prover/cooling module, Solaris Server License erprise 6000 Server Base Package, Stand-alone Enclosure, 1 SunCD 3 prover/cooling module, Solaris Server License erprise 10000 Server Base Package, Stand-alone Enclosure, 1 SunCD 4 prize Requires Solaris 2.5.1 or later. erprise 10000 Server Base Package, Stand-alone Enclosure, 1 SunCD 4 prize Requires Solaris 2.5.1 or later. Fig. Requires Solaris 2.5 or later 3 prize: Requires Solaris 2.5 or later 5 prize: Requires Solaris 2.5.1 or later. Order HPC3001V5 for Denmark 5 prize: Requires Solaris 2.5.1 or later. Order HPC3001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2.5.1 or later. Order HPC4001V5 and X389L 5 pommark. Fig. Requires Solaris 2	exprise 150 Rack Ready System Enclosure strike 150 Rack Ready System Enclosure strik

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

		List	Discount		Ultra	Enter	prise S	Servers						
Option	Description	Price	Category				PC Ser			Ultra I	Enterpris	se Cluste	rs (HA &	k PDB)
_				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
JST-ENT	Factory-installed JumpStart Boot Image on internal disk drive of Ultra Enterprise X000 servers NOTE: Not compatible with SPARCstorage Array subsystems and not available for systems without internal disks.	N/C	-		1	1	1	1						
SOLS-C	SPARC Server Systems Software	\$100	A						✓					
X311L	Localized power cord kit, North American/Asian (server country kit)	N/C	-	✓	1	✓					✓	✓		
X322A	17" color monitor, TurboGX frame buffer, cable	\$2,450	A	✓	4	4	4	4			8	8	8	8
(X)359A	20" color monitor, TurboGX frame buffer, cable <i>NOTE:</i> Requires Solaris 2.3 or higher.	\$3,150	A	✓	4	4	4	4			8	8	8	8
(X)367A	20" color monitor, TurboGXplus frame buffer and cables	\$4,150	A	✓	4	4	4	4		>	8	8	8	8
X467A	MII to AUI Converter Cable	\$295	A	✓										
(X)595A	25 MB/sec. Fibre Channel Optical Module	\$600	A		1	✓	1	1						
(X)765A(R4)	2.1GB 7200 RPM expansion disk drive	\$1,000	A			✓	1							
(X)766A(R4)	6x2.1GB 7200 RPM expansion disk drives	\$6,000	A			✓	1							
(X)795A(R4)	Controller Assembly w/ 15-meter fibre channel cable	\$13,000	A		1	✓	1	1	1	✓	✓	✓	✓	1
	<u>NOTE:</u> Requires Solaris 2.3 or later													
(X)902A	2-meter, 68-pin external SCSI cable	\$125	N/D		1	✓	1	1						
X952A	Caster Base for Enterprise 4000 server.	\$850	A			✓								
X953A	Locking Modules for Enterprise 4000 server.	\$125	A			✓								
(X)954A	Power/Cooling Module, 300W.	\$1,800	A		1	✓	1	✓						
X956A	56" Enterprise Expansion Cabinet. Includes cabinet fan tray, universal sequencer, one control cable, no inltet power cable.	\$8,000	A	✓	1	✓	1	1	✓	✓	1	1	1	1
(X)958A	Peripheral Power Supply, 184W.	\$1,500	A		1									
959A	SPARCstorage Array Accessories Kit for Enterprise System or Expansion Cabinet (Media & Documentation).	N/C	N/D				1	1						
	NOTE: 1 required if factory installed, rack-mounted SSA Model 100 Series are ordered.													
X968A	Floor Brackets for Ultra Enterprise 3000 Server	\$100	A		1						1			
X972A	Rack-Mount Rails for Ultra Enterprise 4000 Server	\$450	A			✓						1		
X974A	Serial Asynchronous Connectors - 16-port shielded rack-mountable patch panel with female DB25 RS232 connectors, full modem control, rack-mounting accessories.	\$750	A				(Use	with X20	64A Netwo	ork Termina	al Server on	ıly.)		
X976A	Centronics-compatible Parallel Port Aapter Cable	\$75	В	✓										
(X)977A	0.25 meter differential SCSI expansion cable	\$125	N/D				1	1						

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.
- ♦ For internal RSM trays only.

Option	Description	List Price	Discount Category			a Enter ltra HI	_	Servers		I iltra I	Enterpris	se Cluste	re (HA 8	& PDR)
Option	Description	Titee	Category	150	3000		5000		10000	E2	3000	4000	5000	6000
X979A	12-meter differential SCSI expansion cable.	\$265	N/D	130	3000	4000	3000	0000	10000	152	3000	4000	3000	0000
X981A	AUI Aapter Cable	\$75	B	1										
X985A	Serial Port Splitter Cable	\$50	N/D	1										
(X)1008A	SBus serial parallel controller (SPC/S)	\$1,095	A	1										
(A)1000A	NOTE: Requires Solaris 1.x, Solaris 2.3 or later.	Ψ1,023	A							•				
(X)1012A	Sun ISDN Expansion Kit 1.0.1 NOTE: Requires Solaris 2.3 or higher. In North America, a Network Termination (NT1) device is required; available from third-party vendors.	\$595	A	1	5	5	5	5	5	1	10	10	10	10
(X)1014A	Token Ring Interface/SBus (TRI/S) SBus-based Token Ring adapter, TCP/IP driver software on CD-ROM and 3.5" diskette media, and documentation NOTE: Requires Solaris 2.2 or higher.	\$1,350	В	1	4	4	4	4	4	1	8	8	8	8
(X)1018A	SunSwift SBus Adapter NOTE: Requires 2.5 or later.	\$1,095	A	1	9	15	15	15	15	1	18	30	30	30
(X)1019A	High-Speed Serial Interface (HSI/S), media and documentation <i>NOTE:</i> Requires Solaris 2.2 or higher.	\$2,275	В	1	4	4	4	4	4	1	8	8	8	8
X1021A	SBus Prestoserve NFS Accelerator	\$2,995	A	✓										
X1025A	SunFDDI Single-Attach SBus Adapter (SAS) 5.0 NOTE: Requires Solaris 2.5 or later.	\$2,500	A	1	3	3	3	3	15	1	12	12	12	6
(X)1026A	SunFDDI Dual-Attach SBus Adapter (DAS) 5.0 NOTE: Requires Solaris 2.5 or later.	\$3,775	A	1	4	8	8	15	5	1	8	8	8	30
X1030A	PCMCIA Interface/SBus Card	\$295	A	✓										
(X)1042A	Quad FastEthernet SBus Card (QFE)	\$1,995	A	✓	8	8	8	8	✓		16	32	32	32
(X)1045A	Alteon Gigabit Ethernet Network Interface Card	\$2,295	A											
X1046A	Gigabit Ethernet Switch	\$9,995	A											
X1052A	SBus Fast Differential SCSI-2/Buffered Ethernet Card (DSBE/S)	\$1,095	A		9	21	21	36	64		42	42	42	72
(X)1053A	SBus Fast SCSI-2/Buffered Ethernet Card (FSBE/S)	\$1,095	A	✓	9	15	15	15	15	✓	30	30	30	30
X1054A	SBus SCSI/Buffered Ethernet Card (SBE/S)	\$1,095	A	1						1				
(X)1055A	SBus SCSI Host Adapter	\$495	A	1										
(X)1057A	25 MB/sec. SBus Fibre Channel Host Adapter	\$1,600	A		1	1	✓	1	✓					
(X)1059A	SunFastEthernet 10/100 SBus Adapter 2.0 SBus Card, and Solaris 1.x driver NOTE: Requires 1.1.2 or Solaris 2.5 or later.	\$795	A	1	9	15	15	15	20	1	18	30	30	30

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

Option	Description	List Price	Discount Category				prise S	ervers vers		Ultra I	Enterpris	se Cluste	rs (HA &	k PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)1060A	SunATM-155/MFiber SBus Adapter 2.0 NOTE: Requires 2.4, Hardware: 11/94 or later.	\$1,295	A	✓	9	15	15	15	15	✓	18	30	30	30
(X)1061A	SunATM/UTP5 SBus Adapter 2.0 NOTE: Requires 2.4, Hardware: 11/94 or later.	\$995	A	✓	9	15	15	15	15	√	18	30	30	30
(X)1062A	SBus Differential Fast/Wide Intelligent SCSI-2 host adapter (DWIS/S) NOTES: Requires Solaris 2.3 or higher. To connect 2 SCSI trays or two 4.2GB disk cards, you must order DSCSI cable X977A.	\$1,295	A	✓	9	21	21	36	63	>	18	42	42	72
(X)1063A	SBus Single-Ended Fast/Wide Intelligent SCSI-2 Host Adapter (SWIS/S) card NOTES: Supported only with the 4.2 GB Fast Wide SCSI-2 Disk Card. Requires Solaris 2.3 or higher.	\$1,195	A	✓	9	15	15	15	15	✓	18	30	30	30
(X)1064A	SunATM-622/MFiber SBus Adapter NOTE: Requires Solaris 2.4, Hardware: 11/94 or later.	\$4,995	A	✓	2	4	4	8	8	✓	4	8	8	16
(X)1065A	SBus Ultra Differential Fast/Wide Intelligent SCSI Host Adapter	\$1,295	A		9	15	15	15	31		18	30	30	30
X1129A-4.1-P	SunPC 133 MHz 5x86 card and SunPC 4.1 software. NOTE: Requires Solaris 2.3 or higher, OpenWindows or a Motif-based window manager, and a system with a minimum of 32MB RAM (48MB is recommended).	\$595	A	✓										
X1248A	Cluster Connect Kit	\$2,500	A								✓	✓	✓	✓
X1257A	Sun Cluster Channel Pack	\$18,460	A								✓	✓	✓	✓
X1259A	HA Cluster Foundation Package for Ex000	\$6,150	A								✓	✓	✓	✓
X1300A	HA Cluster Foundation Package for E2 w/SSA	\$11,240	A							✓				
X1301A	HA Cluster Foundation Package for E2 w/MultiPack	\$7,230	A							✓				
X1302A	Ultra Enterprise 2 PDB Cluster Foundation Package for SSA	\$13,630	A							✓				
X1303A	Ultra Enterprise x000 PDB Cluster Foundation Package	\$24,160	A								✓	✓	✓	✓
X1306A	Ultra Enterprise Cluster E2 PDB/MultiPack Cluster Foundation Package	\$7,130	A							✓				
X2065A	Network Terminal Server 2.0, including Terminal Server hardware, software, and documentation. NOTE: Requires Solaris 2.3 or later.	\$6,990	A	✓	1	1	1	✓						
(X)2510A	UltraSPARC module, 167 MHz, 1MB external cache.	\$12,000	A		1	✓	✓	✓						
(X)2530A	UltraSPARC module, 250 MHz, 1MB external cache.	\$16,000	A		1	1	1	1	64					
(X)2550A	UltraSPARC module, 250 MHz, 4MB external cache.	\$19,000	A		1	1	1	1						
(X)2601A	CPU/Memory Board w/ 2 empty CPU slots and 2 empry memory banks (up to 4MB modules)	\$9000			1	1	1	✓						

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

Option	Description	List Price	Discount Category				prise S PC Ser	Servers vers		Ultra l	Enterpris	se Cluste	rs (HA &	k PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)2610A	SBus I/O Board with 3 empty SBus slots, 2 empty 25 MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) interface.	\$6,500	A		1	/	1	1						
(X)2620A	Graphics I/O Board with 1 UPA slot, 2 empty SBus slots, 2 empty 25 MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) interface.	\$7,000	A		1	1	1	1						
(X)2720A	E10000 Control Board including Ethernet cable.	\$20,000	A						✓					
(X)2730A	E10000 Dual SBus I/O daughter card.	\$7,500	A						10					
(X)2750A	E10000 System Service Processor (SSP). Consists of SPARCstation 5 workstation with 17" color monitor, 32MB, 2.1GB internal Fast/Wide SCSI-2 disk, CD-ROM.	\$8,895	A						2					
(X)2760A	E10000 System Board with no memory, no processor modules, no I/O board.	\$60,000	A						16					
3500A	North American Country Kit (PC-101 style keyboard)	N/C	N/D						✓					
3576A	Australian Country Kit	N/C	N/D						✓					
3578A	European Universal Country Kit	N/C	N/D						✓					
3502A	French Country Kit	N/C	N/D						✓					
3574A	Italian Country Kit	N/C	N/D						✓					
3575A	Netherlands Country Kit	N/C	N/D						✓					
3571A	Portuguese Country Kit	N/C	N/D						✓					
3507A	U.K. Country Kit	N/C	N/D						1					
(X)3651A	20" color monitor, Creator 24-bit single buffered graphics accelerator, and cable.	\$4,950	A		3	4	4	4		1	6	8	8	8
(X)3652A	20" color monitor, Creator3D 24-bit double buffered graphics accelerator with Z Buffer for 3D solids, and cable.	\$6,950	A		3	4	4	4		1	6	8	8	8
3800A	Power Cord for Enterprise System and Expansion Cabinets, U.S. Version (NEMA L6-30P plug)	N/C	-				1	1	/ +				1	1
3848A	Power Cord for Enterprise System and Expansion Cabinets, International Version (IEC 309 plug, 32A, 250V)	N/C	-				1	1	/ +				1	1
(X)3850A	E10000 Power Cord, North American version.	N/C	-						4					
(X)3851A	E10000 Power Cord, International version.	N/C	-						4					
(X)3875A	E10000 AC Breaker/Filter Assembly	\$3,000	A						4					
X5151A ¹	2.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable	\$1,175	A*	3 ³	4	4				3	8	8		

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

Option	Description	List Price	Discount Category			a Enter ltra HI	_	Servers vers		Ultra I	Enterpris	se Cluste	rs (HA &	& PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X5152A ²	2.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable	\$1,175	A*	√3	4	4				✓	8	8		
(X)5153A	2.1GB 7200 RPM Internal Fast/Wide SCSI-2 SC Expansion Disk.	\$950	A*	>	10					√	20			
(X)5161A	4.2GB Disk Board with 2 x 2.1GB 7200 RPM Fast/Wide SCSI Disk Drives NOTE: A factory-installed 2-meter 68-pin SCSI cable (902A) must be ordered when disk board is installed in Enterprise 6000 server.	\$3,700	A*			4	4	2						
(X)5206A(R4)	4.2GB 7200 RPM expansion disk drive w/ mounting bracket	\$1,450	A				1	1						
(X)5207A(R4)	6x4.2GB 7200 RPM expansion disk drives w/ mounting bracket	\$8,700	A				1	✓						
X5209A ¹	4.2GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable.	\$1,625	A*	√ ³	4	4				√	8	8		
X5213A ²	4.2GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable.	\$1,625	A*	√ ³	4	4				√	8	8		
(X)5214A	4.2GB Internal 7200 RPM Fast/Wide SCSI-2 Disk Drive	\$1,400	A*	✓	10						20			
(X)5251A	9.1GB Internal 7400 RPM Fast/Wide SCSI-2 Disk Drive	\$2,320	A*	1	10					✓	8	8		
X5253A ¹	9.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable.	\$2,545	A*	√3	4	4				1	8	8		
X5254A ²	9.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable.	\$2,545	A*	√3	4	4				1	8	8		
X5504A	18.2GB (2 x 9.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$5,640	A*	1	6	6					8	8		
X5505A	36.4GB (4 x 9.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$10,280	A*	1	6	6					8	8		
X5506A	54.6GB (6 x 9.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack <i>NOTE:</i> Requires Solaris 2.3 or higher.	\$14,920	A*	1	6	6					8	8		
X5511A ¹	4.2GB (2 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher. A SWIS/S host adapter may be required in order to address SCSI ID 8 and above; or when ordering an internal CD-ROM or second internal disk drive.	\$2,900	A*	✓	6	6				V	8	8		
X5512A ¹	12.6GB (6 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher. A SWIS/S host adapter may be required in order to address SCSI ID 8 and above; or when ordering an internal CD-ROM or second internal disk drive.	\$6,700	A*	√	6	6				✓	8	8		

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.
- ♦ For internal RSM trays only.

		List	Discount		Ultra	Enter	prise S	Servers						
Option	Description	Price	Category				PC Serv			Ultra I	Enterpris	se Cluste	rs (HA &	& PDB)
				150	3000	1	5000		10000	E2	3000	4000	5000	6000
X5513A ¹	25.2GB (12 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or higher. A SWIS/S host adapter may be required in order to address SCSI ID 8 and above; or when ordering an internal CD-ROM or second internal disk drive.	\$12,400	A*	✓	6	6				✓	8	8		
X5514A	8.4GB (2 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack <i>NOTE</i> : Requires Solaris 2.3 or higher.	\$3,700	A*	✓	6	6					8	8		
X5515A	25.2GB (6 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or higher.	\$9,400	A*	✓	6	6					8	8		
X5516A	50.4GB (12 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack <i>NOTE</i> : Requires Solaris 2.3 or higher.	\$17,800	A*	✓	6	6					8	8		
(X)6055A(R4)	20-40GB SPARCstorage DLT4000 internal drive for Multi-Tape Backup Tray.	\$6,400	A	✓	12	12	12	12	12	✓	24	24	24	24
$(X)6056A(R4)^2$	20-40GB SPARCstorage DLT4000 Tape Drive with 4-meter 50-68 pin SCSI cable.	\$8,400	A		4	4	4	4	4	✓	8	8	8	8
X6057A 1	20-40GB DLT4000 FlexiPack tape w/ 68-68pin SCSI cable	\$6,900	A*	✓	4	4	4	4	4		8	8	8	8
X6060A 1	35-70GB DLT7000 FlexiPack tape w/ 68-68pin SCSI cable	\$10,900	A*	✓	4	4	4	4	4		8	8	8	8
X6071A	SPARCstorage DLT4700 tape autoloader in external desktop enclosure with both 50-50 and 50-68 pin SCSI cables. NOTE: Requires Solaris 2.4 or higher.	\$16,000	A	✓	4	4	8	8	8	1	8	8	16	16
X6072A	1TB Enterprise Tape Library ETL 4/1000, Floor Standing Unit. NOTES: Requires Solaris 2.3 or greater, Solstice Backup 4.2, the Turbo Module and the 1-64 slot capacity Jukebox Software Module to run in a random access mode and to access the bar-code reader functions. Requires DWIS/S Host Adapter.	\$85,000	A	√	2	2	4	4	4		2	2	4	4
X6101A 1	2.5GB QIC Tape UniPack with 68-68 pin SCSI cable	\$1,125	A	\checkmark^3	4	4				✓	8	8		
X6102A ²	2.5GB QIC Tape UniPack with 50-68 pin SCSI cable	\$1,125	A	✓	4	4				✓	8	8		
(X)6104A	Internal 2.5GB 1/4-inch Tape Drive	\$900	A		1	1	1	1			1	1	1	✓
X6153A	SunCD 4 Internal CD-ROM drive	\$300	A	✓										
X6157A 1	SunCD 4 SPARCstorage UniPack with 68-68 pin SCSI cable NOTE: Solaris 1.1.1 or later, or Solaris 2.4 or later required.	\$525	A*	√ ³	4	4				✓	8	8		
X6158A ²	SunCD 4 SPARCstorage UniPack with 50-68 pin SCSI cable NOTE: Solaris 1.1.1 or later, or Solaris 2.4 or later required.	\$525	A*	✓	4	4				✓	8	8		
X6159A ¹	SunCD 12 FlexiPack w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$700	A*	✓	2	2					4	4		
X6161A	SunCD 12 internal CD-ROM drive for the FlexiPack	\$300	A	✓										

^{*} Maximum discount may apply.

 ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

Option	Description	List Price	Discount Category			a Enter ltra HI		ervers vers		Ultra I	Enterpris	se Cluste	rs (HA &	k PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X6208A 1	14GB 8mm UniPack tape w/ 68-68pin SCSI cable	\$2,625	A	✓	4	4					8	8		
X6210A ¹	14GB 8mm FlexiPack tape w/ 68-68pin SCSI cable and 1 additionalopen half-height expansion bay	\$2,900	A	✓	2	2					4	4		
(X)6213A	14GB 8mm internal tape for Enterprise 3000&4000	\$2,400	A		1	1					1	1		
X6225A	400-800GB 8mm SPARCstorage Library, External Deskside Unit. NOTE: Requires Solaris 2.5 or later and DWIS/S Host Adapter. Requires Solstice Backup 4.2, the Turbo Module and the 1-64 slot capacity Jukebox Software Module License to run in a random access mode and to access the bar-code reader functions.	\$26,000	A	1	4	4	4	4	4	2	8	8	8	8
(X)6226A(R4)	400-800GB 8mm SPARCstorage Library, Rack-mountable Unit. NOTE: Requires Solaris 2.5 or later and DWIS/S Host Adapter.	\$26,000	A	✓	4	4	4	4	4	\	8	8	8	8
X6227A	140GB 8mm SPARCstorage Library w/ 1 internal drive in a tower unit	\$8,500	A	✓	4	4	4	4	4		8	8	8	8
(X)6228A(R5)	140GB 8mm SPARCstorage Library w/ 1 internal drive in a rackmount unit	\$3,500	A		4	4	9	9	9		8	8	18	18
X6230A ¹	20-40GB 8mm SPARCstorage UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$6,625	A	√ ³	8	8	8	8		>	16	16	16	16
X6231A ²	20-40GB 8mm SPARCstorage UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$6,625	A	√ ³	8	8	8	8		1	16	16	16	16
X6232A 1,3	20-40GB 8mm FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$6,900	A	✓	4	4	4	4			8	8	8	8
(X)6234A	20-40GB 8mm internal tape drive for E3000 w/ cable	\$6,400	A		1						✓			
(X)6235A	20-40GB 8mm internal tape drive for E4000 w/ cable	\$6,400	A			1						✓		
X6236A ³	20-40GB 8mm internal tape drive for the FlexiPack	\$6,400	A	✓										
X6261A ¹	4-8GB 4mm DDS-2 UniPack tape w/ 68-68pin SCSI cable	\$1,475	A	✓	4	4					8	8		
X6263A ¹	4-8 GB 4mm DDS-2 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A	✓	2	2					4	4		
X6265A	4-8GB 4mm DDS-2 FlexiPack internal tape drive for the FlexiPack	\$1,250	A	✓										
(X)6280A ^{1,3}	12-24GB 4mm DDS-3 Internal Tape UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,350	A	1	4	4				<i>y</i>	8	8		
(X)6281A ^{2,3}	12-24GB 4mm DDS-3 Internal Tape UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,350	A	1	4	4				✓	8	8		

^{*} Maximum discount may apply.

 ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

Option	Description	List Price	Discount Category				rprise S PC Ser	Servers vers		Ultra I	Enterpris	se Cluste	rs (HA &	& PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)6283A	12-24GB 4mm DDS-3 Internal Tape Drive. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,125	A		1	1	1	y			1	1	1	1
X6284A ¹	12-24GB 4mm DDS-3 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,625	A	1	2	2					4	4		
(X)6286A	12-24GB 4mm DDS-3 Internal Tape Drive for Enterprise 150. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$2,125	A	1										
X6290A 1	72-144GB 4mm DDS-3 FlexiPack autoloader tape w/ 68-68pin SCSI cable	\$5,950	A	1	4	4					8	8		
(X)6292A(R4)	72-144GB 4mm DDS-3 Autoloader internal drive for Multi-Tape Backup Tray - E5000, E6000, and expansion rack. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$7,450	A		4	4	4	4	4		8	8	8	8
(X)6293A(R4)	72-144GB 4mm DDS-3 Autoloader internal drive with Multi-Tape Backup Tray. NOTE: Requires Solaris 1.1.2 or later, or Solaris 2.4 or later. Supported by Solstice Backup 4.2.	\$5,450	A		12	12	12	12	12		24	24	24	24
(X)6507A(R4)	12.6GB SPARCstorage module (3x4.2GB 7200 rPM fast/wide SCSI-2 disks)	\$9,650	A				✓	1	✓					
(X)6508A(R4)	29.4GB SPARCstorage module (7x4.2GB 7200 rPM fast/wide SCSI-2 disks)	\$15,850	A				1	1	1					
(X)6509A(R4)	4.2GB 7200 RPM drive module for SPARCstorage RSM	\$1,550	A				1	1	✓					
X6510A	RSM SCSI environmental card	\$700	A			1	1	1	✓					
X6513A	Power sequencer for Enterprise Expansion Cabinet for configuring RSM Array 2000	\$1,100	A			1	1	1	√					
(X)6514A(R4)	3x9.1GB SPARCstorage RSM	\$12,410	A				1	1	√					
(X)6515A(R4)	7x9.1GB SPARCstorage RSM	\$22,290	A				1	1	✓					
(X)6516A(R4)	9.1GB drive module for SPARCstorageRSM	\$2,470	A				1	1						
(X)6517A(R4)	25.2GB (6x4.2GB 7200 RPM fast/wide SCSI-2 SC disks) SPARCstorage Array with fibre channel cable	\$24,100	A				1	1						
(X)6518A(R4)	75.6GB (18x4.2GB 7200 RPM fast/wide SCSI-2 SC disks) SPARCstorage Array with fibre channel cable	\$41,500	A				1	/						
(X)6519A(R4)	126GB (30x4.2GB 7200 RPM fast/wide SCSI-2 SC disks) SPARCstorage Array with fibre channel cable	\$58,900	A				1	1						

- * Maximum discount may apply.
- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.

		List	Discount		Ultra	Enter	prise S	Servers						
Option	Description	Price	Category		U	ltra HI	C Ser	vers		Ultra I	Enterpris	se Cluste	rs (HA &	k PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
X6533A	147GB (35x4.2GB 7200 RPM drives) RSM Array 2000 in an Enterprise Expansion Cabinet with 128MB cache memory NOTE: Requires Solaris 2.4 or later. Order 2 of the appropriate Power Cord Kits per RSM Array 2000	\$125,250	A			✓	1	1	√	✓	1			
X6534A	136.5GB (15x9.1GB 7200 RPM drives) RSM Array 2000 in an Enterprise Expansion Cabinet with 128MB cache memory NOTE: Requires Solaris 2.4 or later. Order 2 of the appropriate Power Cord Kits per RSM Array 2000	\$108,050	A			1	1	1	1	1	1			
X6535A	318.5GB (35x9.1GB 7200 RPM drives) RSM Array 2000 in an Enterprise Expansion Cabinet with 128MB cache memory NOTE: Requires Solaris 2.4 or later. Order 2 of the appropriate Power Cord Kits per RSM Array 2000	\$157,450	A			V	1	√	/	✓	1			
X6536A	RSM Array 2000 Controller rack mount w/ 128MB cache memory	\$32,900	A			1	1	1	✓					
(X)6590A(R4)	12.6GB (6x2.1GB, 7200 RPM fast/wide SCSI-2 SC disks) SPARCstorage Array with fibre channel cable in Enterprise x000 colors	\$21,400	A		✓	✓	1	1	✓	✓	1	1	✓	✓
(X)6591A(R4)	37.8GB (18x2.1GB, 7200 RPM fast/wide SCSI-2 SC disks) SPARCstorage Array with fibre channel cable in Enterprise x000 colors	\$33,400	A		1	✓	1	1	✓	√	1	1	1	√
(X)6592A(R4)	63GB (30x2.1GB, 7200 RPM fast/wide SCSI-2 SC disks) SPARCstorage Array with fibre channel cable in Enterprise x000 colors	\$45,400	A		1	✓	1	1	✓	1	1	1	1	1
X6593A	176.4GB (42x4.2GB 7200 RPM drives) SPARCstorage Array Model 214 RSM w/ 6 SPARCstorage RSM 7-drive trays in an Enterprise Expansion Cabinet NOTE: The appropriate Power Cord Kit must be ordered separately	\$116,100	A		✓	V	√	√	✓	✓	1	1	1	✓
(X)6594A(R4)	75.6GB (18x4.2GB 7200 RPM drives) SPARCstorage Array Model 214 RSM w/ 6 SPARCstorage RSM 3-drive trays in an Enterprise Expansion Cabinet NOTE: The appropriate Power Cord Kit must be ordered separately	\$78,900	A		1	V	1	1	✓	✓	1	1	√	✓
X6595A	Pre-configured 18-drive, 164GB SPARCstorage Array Model 219 RSM w/ 6 SPARCstorage RSM 3-drive trays in an Enterprise Expansion Cabinet NOTE: The appropriate Power Cord Kit must be ordered separately. Additional drives (6506AR5) can be added as factory-configured options	\$95,460	A		1	√	1	1	✓	√	1	1	J	√
X6596A	Pre-configured 42-drive, 382GB SPARCstorage Array Model 219 RSM w/6 SPARCstorage RSM 7-drive trays in an Enterprise Expansion Cabinet NOTE: The appropriate Power Cord Kit must be ordered separately.	\$154,740	A		1	✓	1	1	√	✓	1	1	1	✓

- ¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)
 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. * Maximum discount may apply.◆ For internal RSM trays only.

Ontion	Description	List Price	Discount			Enter	_			I II tuo	Entownwi	as Clusts	ma (II A. S	2. DDD)
Option	Description	Price	Category		U	ltra HI	'C Ser	vers	1	Ultra	Linterpris	se Cluste	rs (na o	(PDB)
				150	3000	4000	5000	6000	10000	E2	3000	4000	5000	6000
(X)7002A	64MB ECC memory expansion (2 x 32MB SIMMs)	\$1,000	A*	✓										
(X)7003A	128MB ECC memory expansion (2 x 64MB SIMMs)	\$2,000	A*	✓										
(X)7004A	256MB ECC memory expansion (2 x 128MB SIMMs)	\$7,500	A*	✓										
(X)7022A	256MB ECC memory expansion (8 x 32MB SIMMs)	\$4,750	A*		1	1	1	1	64					
(X)7023A	1GB ECC memory expansion (8 x 128MB SIMMs)	\$48,500	A*		1	1	1	1	64					
(X)7025A	E10000 Memory Board with 4 empty memory banks.	\$10,000	A						64					
(X)7103A	17-inch Entry Level Color Monitor	\$900	A		4	4	4	4			8	8	8	8
(X)7111A	Server console, 17-inch Entry Color Monitor, TurboGX frame buffer and cable	\$1,995	A		4	4	4	4			8	8	8	8
X7020A	RSM Array 2000 64-MB add-on cache memory	\$2,000	A			1	1	1	1					
X9601A	Air Baffle for Enterprise Expansion Cabinet	\$50	A			1								
X9602A	Enterprise Cabinet Floor Brackets	\$400	A				1	1	✓				✓	1
(X)9671A	E10000 Fan Tray	\$2,000	A						16					
(X)9681A	E10000 Power Control Module with cables to Control Board.	\$1,000	A						5					
(X)9685A	E10000 48-volt Power Supply.	\$4,000	A						8					
UG-ENT- CLOCKBD	Enterprise X000 Clock Board Upgrade.	\$1,155	A		1									

^{*} Maximum discount may apply.

¹68-68 pin cables are required to connect a UniPack to another UniPack or to a SWIS/S Host Adapter (X1063A)

 ² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack
 ³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality. ♦ For internal RSM trays only.